

EN 15088 CERTIFICATION PROGRAM

305/2011/AB Construction Product Regulation
98/214/EC Commission Decision
Conformity Assessment Program System (TAT CP)

Certification Program for the Production of Structural Aluminum and Aluminum Alloys





THIS PUBLICATION IS COPYRIGHTED
Copyrights © 2019 İstanbul, Turkey

All rights reserved. Unless otherwise stated, no part of this publication can be copied or used by no means, electronically or mechanically, including photocopy or microfilm, without the written consent of TÜV AUSTRIA TURK.

TÜV AUSTRIA TURK
Barbaros Mah. Susuz Sok.
No :13/1 PK :34746
Ataşehir, İstanbul
Turkey

Tel.: +90 216 537 0811
Fax: +90 216 537 0813
infoturkey@tuv.at
www.tuvaustriaturk.com

About TÜV AUSTRIA TURK

TÜV AUSTRIA TURK is a leading global organization which develops and publishes Certification Programs for the approval of technical materials such as construction products, machinery, pressure equipment etc.

About the Publications of TÜV AUSTRIA TURK

Technical content of the publications of TÜV AUSTRIA TURK is regularly revised and updated by TÜV AUSTRIA TURK. Please make sure that it is the latest version.

Useful Links:

About TÜV AUSTRIA – www.tuv.at/tr

You can have an access to further information about TÜV AUSTRIA and our services in our broad industrial service through this link.

It also provides information about the projects, changed or withdrawn publications.

TÜV TIMES - <https://www.tuv.at/tr/tuev-austria-group/tuev-austria-times/>

Stay up to date in all new TÜV Times publications. All newly-published contents are here online and quarterly in mobile applications.



Customer Services Center – ifturkey@tuv.at

If you would like to provide feedback or need for further assistance in this publication, please contact with our Customer Services Center: ifturkey@tuv.at

CONTENTS

CONTENTS	2
1. Introduction	4
1.1 Introduction to Certification Program	4
1.2 The Certification Program Committee	5
1.3 Documentation	5
2. Conformity Assessment	6
2.1 Determination of Assessment Classification	6
3. Duties and Responsibilities	6
3.1 Qualifications of Personnel to be Assigned in Audits	6
3.2 Duties of Producer and Notified Bodies' (NoBo)	6
3.3 Duties of Decisionmakers	6
4. Certification Processes	7
4.1 Conformity Assessment Procedure	7
4.2 Audit Period	7
4.3 Surveillance Audits	7
4.4 Follow-up Audits	7
4.5 Transfer Inspection	8
4.6 Changes (changes in scope, address, resource coordination staff)	8
5. Logo and Brand Usage	11
6. Objection to Results & Complaints	12
7. Confidentiality, Impartiality and Independency	12
8. Normative References	12

THE PREFACE

Scope

This document explains the implementation requirements of TÜV AUSTRIA TURK as part of conformity assessment and provides support for applications for valuable clients.

Document Holder

TÜV AUSTRIA TURK Belgelendirme Eğitim ve Gözetim Hizmetleri Ltd. Şti.

Revision History

No	Date	Information About Changes
0	14.08.2015	TS EN 15088 Certification Program First Publication
1	10.06.2016	Implementation is changed through Program Committee's decision in case of any changes in conditions.
2	29.06.2016	References were added.
3	27.10.2016	The application assesment process was revised. The article of reducing scope was added.
4	25.05.2018	Changes in coding and implementation processes were added.
5	14.10.2019	Transfer audits and changes clause has been added.

1. Introduction

1.1 Introduction to Certification Program

This certification program was prepared in accordance with the requirements of EN ISO/IEC 17067 Article 6.5 Program Content in order to describe how the certification activities would be carried out for the production of hot rolled flat and long products of structural steel, except for pipes and hollow sections used in construction, in accordance with TÜV AUSTRIA TURK, TS EN 15088 standard.

For CE marking of produced steel works, the relevant harmonized European Standard is EN 15088: Aluminum and Aluminum Alloys – Structural products for constructions - technical requirements for examination and delivery the connection of this Standard with the others (Picture 1)", the basic properties of the structural products are indicated in the following standards:

- ✓ TS EN 755-1: Aluminum and Aluminum Alloys - Extruded rod / wire rod, pipe and sections - Part 1: Technical examination and delivery conditions
- ✓ TS EN 12020-1: Aluminum and Aluminum Alloys – From En aw-6060 and en aw 6063 Alloys extruded precision profiles - Part 1: Technical examination and delivery conditions
- ✓ TS EN 485-1: Aluminum and Aluminum Alloys – Plate, strip and sheet - Part 1: Technical examination and delivery conditions
- ✓ TS EN 1396: Aluminum and Aluminum Alloys - coil-coated sheet and band –General implementations -Features
- ✓ TS EN 1386: Aluminum and Aluminum Alloys - plate - specifications
- ✓ TS EN 754-1: Aluminum and Aluminum Alloys – Hot drawn wire rod/rod and pipe - Part 1: Technical examination and delivery conditions
- ✓ TS EN 1301-1: Aluminum and Aluminum Alloys –Rolled wire- Part 1: Technical examination and delivery conditions
- ✓ TS EN 1592-1: Aluminum and Aluminum Alloys - Hf (high frequency seam-welded tube - Part 1: Technical examination and delivery conditions
- ✓ TS EN 1559-1: Castings- Technical delivery conditions - Part 1: General
- ✓ TS EN 1559-4 Castings- Technical delivery conditions - Part 4: For aluminum alloys and castings additional features
- ✓ TS EN 586-1: Aluminum and Aluminum Alloys - Forgings- Part 1: Technical conditions for examination and delivery
- ✓ Standards under construction




Table 1- Relationship Between Standards

Duties which will be executed by an Notified Body (TÜV AUSTRIA TURK) under 2+ Conformity Approval system are Factory Production Control (FPC) audit as well as FPC's constant

surveillance, assessment and approval. An EC Certificate is issued for Factory Production Control at the end of the assessments which are regarded as successful.

Certification Program Content fulfills I,II,III,IV and V conditions among the functions that are specified in EN ISO/IEC 17067 Article 5.

1.2 The Certification Program Committee

TÜV AUSTRIA TURK performs conformity assessment activities through harmonized standards. The Program Committee consists of persons who are knowledgeable about the 305/2011 Construction Product Regulation (CPR), which is capable of representing the following parties.

- Representing non-governmental organizations
- Representing industrialists
- Representing the public
- University / Academician representative
- Conformity Assessment Agency representative

Program Committee members are indicated on the TÜV AUSTRIA TURK Organization Chart and on the personnel list.

1.3 Documentation

TÜV AUSTRIA TURK conformity assessment system documentation and annexes, which have been prepared by considering 305/2011 Construction Material Regulations and the relevant legal legislation, shall be used.

2. Conformity Assessment

2.1 Determination of Assessment Classification

Determination of the execution class TS EN 15088 standard, " in 2. reference Article standards and/or documents" execution standard for the product from the relevant standards shall be determined by the producer.

3. Duties and Responsibilities

3.1 Qualifications of Personnel to be Assigned in Audits

Chief auditors to be assigned in Factory Production Control assessment must have five years of work experience in their product group, at least two years of which is on site.

If chief auditor does not have adequate experience for the product group to be examined, it is required to support him with a technical expert having the same experience.

3.2 Duties of Producer and Notified Bodies' (NoBo)

System 2+ : Declaration of the performance of basic characteristics of construction products is based on the following issues by the producer:

(a) Producer executes the following:

(b) Authorized organization certifying Factory Production Control issues the conformity certificate of Factory Production Control based on the following:

Table 1 System 2+¹

System	Producer	TÜV AUSTRIA TURK
2 +	Determination of product type based on type test (including sampling) of the material, type calculations, values which are specified in tables or explanatory documents.	Internal audit of factory production control and production facility
	Factory Production Control	Constant surveillance, measurement and assessment of factory production control
	Additional tests of the samples obtained from the factory in accordance with the test plan prepared previously.	Conformity Certificate
	Preparing a Performance Declaration	

3.3 Duties of Decisionmakers

For the certification of the products specified in 305/2011/EU(AB) Construction Product Regulation 98/214/EC Commission Decision,

- Guidance for the Accreditation of Notified Body Candidates under TÜRKAK R50.08 305/2011/EU(AB) Construction Product Regulation
- Communique on Assignment and Audit of Notified Bodies under Construction Product Regulation (305/2011/EU) carried out by the Ministry of Environment and Urbanization (Communique No: MHG/2013-09)

¹ This table was adapted from the first article of the list in 305/2011/AB Construction Product Regulation Annex-5.

are applied within the scope of conformity assessment activities conducted in TÜV AUSTRIA TURK.

Directive Manager/Technical Regulation Officer who manages the activities of TÜV AUSTRIA TURK which are carried under Construction Product Regulation (305/2011/AB) 98/214/EC Commission Decision must

- be graduated from technical departments of 4-year universities and
- have at least 4 years of experience, at least 2 years of which must be in the field of construction products conformity assessment, and have at least 5 years of work experience.

Directive Manager/Technical Regulation Office examines conformity assessment documentation conducted at the end of Factory Production Controls and approves the approval or rejection of document and extension or reduction of scope.

4. Certification Processes

4.1 Conformity Assessment Procedure

The conformity assessment activities which will be conducted by TÜV AUSTRIA TURK are carried out in accordance with the PRO-CAS-001 Conformity Assessment Procedure.

4.2 Audit Period

Audits are conducted every year after the initial assessment.

4.3 Surveillance Audits

Audit of corrective actions, revision of revised or added product documents, analysis of conformity and efficiency in the application and critical items are controlled within the scope of surveillance audit with regard to the nonconformities which are determined in the previous audit. An audit report is prepared for the surveillances and nonconformities which are determined at the end of audit. Corrective actions for the removal of nonconformities are monitored as follows:

- If the advisory nonconformities, which are identified in the previous audit and which can be removed in document basis, have not been removed, they are turned into major nonconformities depending on the effect of nonconformity. A follow-up audit is conducted one month later. If the nonconformity has been removed, it is decided that product certificate will maintain its validity; but if it has not been removed, it is decided that the document will be suspended and reported to the organization.
- If a nonconformity which is an obstacle for the certification is identified in surveillance audit for the first time, a period of one month is provided for the execution of corrective actions. If it has been realized in the follow-up audit at the end of one month that the nonconformity has been removed, it is decided that product certificate will maintain its validity; but if it has not been removed it is decided that the document will be suspended and reported to the applicant in written.

4.4 Follow-up Audits

Follow-up audits are required for major nonconformities; however no follow-up audit is conducted for major nonconformities which can be validated through documents of records in some cases. This decision is made by the chief auditor. Proofs of corrective actions conducted for minor nonconformities are sent by the company to the chief auditor within the prescribed time.

Company is provided with a period of 3 months following certification audit which requires follow-up audit. If the company requests time extension (orally or in written) at the end of this 3-month period, this request is examined by certification manager-body and it is provided with an additional 3-month period if it is deemed as appropriate. Execution period of follow-up audit cannot exceed 6 months. If it is observed in follow-up audits that major nonconformities have not been removed or the company does not confirm the follow-up audit date specified in follow-

up audit notification letter sent by Product Certification / Directive Manager, the application of the organization is cancelled.

If a major nonconformity has been turned into minor nonconformity, the company is requested to remove the nonconformity within 1 month. If there is any nonconformity which could not be removed within that period, the company's application is cancelled. After the verification of nonconformities by the chief auditor, audit file is sent to certification body. If the company does not apply for follow-up audit within 3 months following the date of decision made by Certification Manager-Body that the document will be suspended, Certification Agreement is terminated and the document is withdrawn.

4.5 Transfer Inspection

Transfer Inspection is an inspection carried out with the purpose and request of issuing a certificate which is valid from a different accredited institution from TÜV AUSTRIA TURK.

If an organization that has obtained a certificate from an authorized institution other than TÜV AUSTRIA TURK applies for certification, TÜV AUSTRIA TURK performs an inspection covering the following:

1. Review of document and review of inspection reports prepared by the previous certification authority,
2. Transfer inspection at the premises of the organization, the scope of which depends on the suitability and validity of the previously issued certification.

Transfer inspections are valid for documents submitted by Accredited Institutions. However, in the event that the issuing organization has stopped its commercial activities or its accreditation has been cancelled, the Technical Regulatory Officer decides on the transfer inspection of the applicant organization.

The certificate must still be active and valid for transfer inspection. The last inspection date of the organization applying for transfer must be realized no more than 12 months before the transfer inspection date.

Transfer inspections cannot be performed for suspended or cancelled certificates, and are treated as initial certification.

Before the transfer inspections are carried out, the nonconformities notified to the company whose certificate is valid by the previous certification body should be removed or the issues included in the certification programs of the relevant organizations must be fulfilled.

If there are doubts about the adequacy of the company's certificate and it continues, depending on the content of the doubt;

1. Is considered a new application or
2. Inspection time is increased in problematic areas detected.

If the company is entitled to receive the certificate, the validity period of the certificate to be issued is limited to the valid certificate period. The first certification date, the certification date and the validity period of the current certificate shall be indicated by the other Accredited Institution.

The duration of the monitoring inspections is determined by taking into account the time taken for the customer's certification.

4.6 Changes (changes in scope, address, resource coordination staff)

TÜV AUSTRIA TURK should be informed that the organization has made fundamental changes regarding the content of the document (expansion, contraction, change of title, change in product and production method, address, resource coordination personnel, deputy with

equivalent rights, deputy substitute). In case no information is given about the changes, nonconformity is opened and followed up. In case of adding new activities to the scope, product and production method, address, change of source coordinator(s), change inspections must be made. In such cases, changes may be required on the periodic inspection date. If changes are required, both periodic and change inspections are carried out together.

- Expansion/contraction of scope

The organization shall notify TÜV AUSTRIA TURK when it is desired to make any changes to the product, the manufacturing process or, if appropriate, the quality system specified in the TS EN ISO/IEC 17065 standard that affects the conformity of the product.

TÜV AUSTRIA TURK determines whether these reported changes require further investigations and, where such investigation is necessary, the release of products resulting from such changes is not permitted until TÜV AUSTRIA TURK provides the customer with appropriate information. If the organization does not inform TÜV AUSTRIA TURK about the changes and it is detected during the inspection, nonconformity is opened and followed up. TÜV AUSTRIA TURK shall not allow the products to be released to the market if any nonconforming products are detected during the controls. If the control or test results show that the product does not meet the requirements, the corrective measures required by the organization must be taken and the products must be separated and marked accordingly. After the nonconformity has been removed, the control or tests must be repeated. If products have been delivered before the inspection or test has been completed, the organization's procedure must be available and records kept in order to notify customers.

If non-conforming products are detected during the inspections, it is necessary to separate the products by the organization, eliminate the nonconformities and repeat the controls after the nonconformities are removed. In this process, the customer should be informed and records should be kept in accordance with the procedure regarding the products on the market that may affect the nonconformity.

In case of adding new activities to the scope, change of product and production method, etc., change control must be performed. In such cases, changes may be required on the periodic inspection date. In case that changes are required, both periodic and scope change inspections are carried out together.

In case the scope is expanded, the auditor in charge shall be renewed with the new certificate number and the old certificate shall be cancelled if the decision made by the Product Certification Committee is positive.

If the organization shows continuous or serious failures in meeting the certification requirements for part of the scope of the certificate, the part of the scope of certification is narrowed to exclude the unmet portion of the certification scope. This type of reduction is carried out in accordance with the requirements of the standard used for certification.

In case the applicant requests to narrow the scope of the certificate or depending on the result of the intermediate control of the auditor and expert involved in the certification process, the certificate shall be inspected and processed according to the decision of the Product Certification Committee provided that the scope reduction proposals shall be examined during the next planned inspection.

If the decision of the Product Certification Committee is positive, the certificate is renewed with the new certificate number and the former certificate is cancelled. In this case, the certificate fee stated in the service offer is requested.

- Certificate Holder Title Change

According to the new title, the certificate holder transmits the trade registry newspaper and signature circular to TÜV AUSTRIA TURK. In case of a change in the title of the certificate holder, if there is no change affecting the product, production, and factory production control system, the certificate shall be renewed with the new certificate number and cancellation of the former certificate shall be performed with the decision of TÜV AUSTRIA TURK. In this case, the certificate fee stated in the service offer is requested.

- Address Change

In case of change of production plant, change inspection is carried out to examine the new place of production of the certificate holder. In case of the determination of the adequacy of the Factory Production Control system in the examination, the new certification number and the certificate of the organization and other documents shall be arranged according to the address of the new production plant upon the decision of the Product Certification Committee and the former certificate shall be cancelled. In such cases, changes may be required on the periodic inspection date. If changes are required, both periodic and address change inspections are carried out together.

4.7 Suspension

Certificates may be suspended by Certification Committee Manager for a specific period in some cases.

Decision of suspension is notified to Product Certification Manager / Directive Manager in written. Suspended certificates are also explicitly announced on the list of certified companies on TÜV AUSTRIA TURK's web site. For example;

- In cases which are not in conformity with the requirements specified in the relevant certification program but where it is not required to withdraw the certificate immediately during surveillance audit,
- If the certificate holder does not conduct any withdrawal or corrective actions in case of improper use of certificate or logo (for example, misleading publications or advertisement) (Logo Usage Procedure)
- If Certification Body's process certification program or procedures are violated,
- If the company does not fulfill the contractual liabilities,
- If major nonconformities could not be removed in follow-up audits,
- If major nonconformities are identified at the end of audits.

Certificate holder is prohibited from describing any process-product as certified in which the certificate is suspended.

Certificate may be suspended for a limited period of time (maximum 3 months) because of such reasons other than production or any other reasons at the end of the mutual agreement between TÜV AUSTRIA TURK and certificate holder.

Reason for suspension of certificate by TÜV AUSTRIA TURK is notified to the certificate holder by Product Certification Manager / Directive Manager in written as well as explaining the conditions of removal of suspension.

Decision of suspension is abolished by Certification Body when appropriate circumstances are achieved; and this decision is notified to Product Certification Manager / Directive Manager in written. Product Certification Manager / Directive Manager makes or gets somebody make the necessary corrections in the list of certified companies on TÜV AUSTRIA TURK's web site and notifies the certificate holder in written.

4.8 Cancellation or Withdrawal

Certificate may be withdrawn by Certification Manager / Body in some cases. Decision of withdrawal is notified to Product Certification Manager / Directive Manager in written. Withdrawn documents are removed from the list of certified companies on TÜV AUSTRIA TURK's web site. In the following cases, TÜV AUSTRIA TURK is entitled to withdraw the certificate by notifying the certificate holder in written:

- If surveillance audit results indicate that there is a serious nonconformity,
- If certificate holder does not comply with the financial agreement,
- If there are any issues contradicting to the certificate agreement,
- If the authorized personnel whose name is written in the document has changed,
- If the certificate holder takes inadequate precautions in case of suspension,
- If the certificate holder does not want to extend the certificate,
- If the standards or rules change and the certificate holder cannot or does not guarantee that he will obey to new requirements,
- If the process is stopped or the certificate holder goes bankruptcy,
- On the grounds of the other provisions in certificate agreement.

4.9 Validity Period of Conformity Certificate

Validity period of the certificates or remarks on the validity period of the certificates are written on the document. TS EN 15088 document is valid for 3 years at the latest provided that annual surveillances are conducted. This validity period is valid if surveillance audits are successfully executed. Process is launched again through an Assessment Application Form for the expired documents.

Audits are regularly conducted every year after the initial assessment provided that the interval between two audits will not exceed 12 months.

Implementation Standards	FPC's audit intervals of the producer after ITT (year)
TS EN 15088	1-1

4.10 Changes to Certification Requirements

TÜV AUSTRIA TURK notifies any changes in certification standards and/or Certification programs to Program Committee organized by itself.

Program Committee can decide how the system will be operated regarding the changes; and all the guidance documents published as NB-CPD over CIRCABC are exactly implemented in accordance with the decisions taken. These changes are notified to the clients within 15 (fifteen) business days from date of decision at the latest. If these changes require surveillance action, the client is notified by Product Certification Manager / Directive Manager/Technical Regulation Auditory and the action is conducted on the date which is mutually agreed with the client by considering the dates of implementation decision by Program Committee.

TÜV AUSTRIA TURK is entitled to make all decisions regarding certificate renewal.

5. Logo and Brand Usage

PRO-001 Logo and Brand Usage Procedure is shared after signing the agreement with the clients and/or provided for access to all the relevant parties through internet address.

Logos which are regularly used by the clients in the relevant products are followed by TÜV AUSTRIA TURK's internal auditors. Follow-up controls which are deemed as required can also be conducted from all external advertisements, including the images shared by the client on web site, or by the auditors during regular surveillances.

6. Objection to Results & Complaints

Our clients are entitled to submit their objections to all the decisions taken by TÜV AUSTRIA TURK or their complaints about the implementation. Objections and complaints which may be submitted during conformity assessment activities or conclusions are assessed and concluded in accordance with PRO-010 Objection, Complaint and Disputes Procedure.

All the complaints about chief auditor/auditor or TÜV AUSTRIA TURK personnel or services as well as all the objections against certification decisions are submitted by TÜV AUSTRIA TURK to the assessment of Objection & Complaint Committee. If the objections and complaints are technical, it is required take the view of a competent personnel having technical capabilities who has not participated in audit.

7. Confidentiality, Impartiality and Independency

TÜV AUSTRIA TURK guarantees that it maintains Impartiality, independency and confidentiality policy in all of its conformity assessment activities. It takes precautions for all the risks which will harm its Impartiality in risk analyses conducted through annual assessment meetings held with Impartiality Protection Committee. Information of all the parties obtained through conformity assessment activities are kept as confidential.

8. Normative References

- "Code on Preparation and Implementation of Technical Legislation for the Products" No. 4703 dated 29th June 2001.
- "Regulation on Conformity Assessment Bodies and Authorized Organizations" promulgated in Official Gazette No. 28213 dated 23rd February 2012.
- "Regulation on Market Surveillance and Audit of Products" promulgated in Official Gazette No. 24643 dated 17th January 2002.
- "CE Marking Regulation" promulgated in Official Gazette No. 28213 dated 23rd February 2012.
- "Construction Product Regulation (305/2011/AB)" promulgated in Official Gazette No. 28703 dated July 2013.
- Communique on Assignment and Audit of Authorized Organizations under Construction Product Regulation (305/2011/AB) (Communique No: MHG/2013-09)
- European Commission Resolutions, Explanatory Documents, Authorized Organization Groups documents,
- Provisions of codes, regulations, communiques, private and administrative technical specifications etc. which are or will be put into force,
- TS EN 485-1+A1 Aluminum and Aluminum Alloys – Plate, strip and sheet - Part 1: Technical examination and delivery conditions
- TS EN 485-2 Aluminum and Aluminum Alloys – Plate, strip and sheet - Part 2: mechanic properties
- TS EN 485-3 Aluminum and Aluminum Alloys – Plate, strip and sheets - Part 3: Tolerances of size and shape of hot rolled products

- TS EN 485-4 Aluminum and Aluminum Alloys- band, strip and sheet Part 4: Tolerances of size and shape of cold rolled products
- TS EN 515 Aluminum and Aluminum Alloys - Tempered Short Designations Of Moldable Products
- TS EN 573-3 Aluminum and Aluminum Alloys - Chemical composition and shape of the formable products Part 3: Chemical Composition
- TS EN 586-1 Aluminum and Aluminum Alloys - Forgings- Part 1: Technical conditions for examination and delivery
- TS 953 EN 586-2 Aluminum and Aluminum Alloys - Forgings fabricated parts Part 2: mechanical properties and other properties.
- TS EN 586-3 Aluminum and Aluminum Alloys - Forgings- Part 3: Tolerances of size and shape
- TS EN 754-1 Aluminum and Aluminum Alloys – Hot drawn wire rod/rod and pipe - Part 1: Technical examination and delivery conditions
- TS EN 754-2 Aluminum and Aluminum Alloys – Hot drawn wire short rod/rod and pipe - Part 2: mechanical properties
- TS EN 754-3 Aluminum and Aluminum Alloys – Hot drawn wire rod/rod and pipe - Part 3: round bars, Tolerances of size and shape
- TS EN 754-4 Aluminum and Aluminum Alloys – Hot drawn wire rod/rod and pipe - Part 4: square bar, Tolerances of size and shape
- TS EN 754-5 Aluminum and Aluminum Alloys – Hot drawn wire rod/rod and pipe - Part 5: rectangular bar, Tolerances of size and shape
- TS EN 754-6 Aluminum and Aluminum Alloys - Hot drawn wire rod/rod and pipe Part 6: rectangular bar, Tolerances of size and shape
- TS EN 754-7 Aluminum and Aluminum Alloys - Hot drawn wire rod/rod and pipe Part 7: rectangular bar, Tolerances of size and shape
- TS EN 754-8 Aluminum and Aluminum Alloys - Hot drawn wire rod/rod and pipe Part 8: Dimension and shape tolerances of lumboz pipes
- TS EN 755-1 Aluminum and Aluminum Alloys - extruded bars / rods, tubes and profiles - Part 1: Technical requirements for inspection and delivery
- TS EN 755-2 Aluminum and Aluminum Alloys - extruded bars / rods, tubes and profiles - – Part 1: Mechanical properties
- TS EN 755-3 Aluminum and Aluminum Alloys - extruded bars / rods, tubes and profiles - Part 3: Round bars, tolerances of size and shape
- TS EN 755-4 Aluminum and Aluminum Alloys - extruded bars / rods, tubes and profiles - Part 4: Square sectioned bars, tolerances of size and shape
- TS EN 755-5 Aluminum and Aluminum Alloys - extruded bars / rods, tubes and profiles - Part 5: Rectangular section bars, size and shape tolerances
- TS EN 755-6 Aluminum and Aluminum Alloys - extruded bars / rods, tubes and profiles - Part 6: Hexagonal bars, size and shape tolerances
- TS EN 755-7 Aluminum and Aluminum Alloys - extruded bars / rods, tubes and profiles - Part 7: Seamless pipes, tolerances of size and shape

- TS EN 755-8 Aluminum and Aluminum Alloys - extruded bars / rods, tubes and profiles - Part 8: Lomboz pipes, tolerances of size and shape
- TS EN 755-9 Aluminum and Aluminum Alloys - extruded bars / rods, tubes and profiles - Part 9: Profiles, Dimensions and Shape Tolerances
- TS EN 1090-3 Steel and aluminum construction applications - Part 3 - Technical requirements for aluminum constructions
- TS EN 1301-1 Aluminum and aluminum alloys - Pulling wires - Part 1: Technical delivery and inspection requirements
- TS EN 1301-2 Aluminum and aluminum alloys - Pulling wires - Part 2: Mechanical properties
- TS EN 1301-3 Aluminum and aluminum alloys - Pulling wires - Part 3: Dimensional tolerances
- TS EN 1386 Aluminum and aluminum alloys - Dental plate - Specification
- TS EN 1396 Aluminum and aluminum alloys - Roll coated sheet and band - General applications Properties
- TS EN 1559-1:2011 Castings - Technical delivery terms - Part 1: General
- TS EN 1559-4 Castings - Technical delivery conditions - Part 4: Additional features for aluminum alloy castings
- TS EN 1592-1 Aluminum and aluminum alloys - Hf (high frequency) seam welded pipes - Part 1: Technical requirements for inspection and delivery
- TS EN 1592-2 Aluminum and aluminum alloys - Hf (high frequency) seam welded pipes - Part 2: Mechanical properties
- TS EN 1592-3 Aluminum and aluminum alloys - Hf (high frequency) seam welded pipes - Part 3: Dimension and shape tolerances for circular cross-section pipes
- TS EN 1592-4 Aluminum and aluminum alloys - Hf (high frequency) seam welded pipes - Part 4: Dimension and shape tolerances for square, rectangular section and shaped pipes
- TS EN 1706 Aluminum and aluminum alloys - Foundries - Chemical composition and mechanical properties
- TS EN 1999-1-1 Design of aluminum constructions - Part 1-1: General structural rules
- TS EN 1999-1-3 Design of aluminum constructions - Part 1-3: Fatigue resistant structures (Eurocode 9)
- TS EN 1999-1-4 Design of aluminum constructions - Part 1-4: Cold-formed building plates (Eurocode 9)
- - TS EN 10204 Metallic products - Types of inspection documents
- - TS EN 12020-1 Aluminum and aluminum alloys - Precision profiled extruded profiles from En aw-6060 and en aw-6063 alloys - Part 1: Technical inspection and delivery conditions
- - TS EN 12020-2 Aluminum and aluminum alloys - Precision profiled extruded profiles from En aw-6060 and en aw-6063 alloys - Part 2: Dimension and shape tolerances
- - TS EN 12258-1: 2001 Aluminum and aluminum alloys - Terms and definitions - Part 1: General terms

- - TS EN 13920-1 Aluminum and aluminum alloys - Scraps - Part 1: General specifications, sampling and testing

TÜV AUSTRIA TURK
Belgelendirme Eğitim ve
Gözetim Hizmetleri Ltd. Şti.

Head Office: Barbaros Mah. Susuz
Sok. No:13/1 Ataşehir / İstanbul /
TURKEY

Tel: + 90 216 537 08 11
infoturkey@tuv.at
www.tuvaustriaturk.com