



Contents

Introduction	
Logo	4
Important: Never use the following logos.	55
Registered brand	6
Colors and text formats	7
Terms of use	
CE Terms of Use	11
"G" Terms of Use	12
Non-Compliance Notifications	13
Corrective Action Types that may be applied:	13



Introduction

Corporate design manual

Defines the basic principles of corporate design for internal and external communication and logo and trademark usage rules for our customers

More than a logo

The choice and use of the types, colors and forms of texts are part of the general strategy carefully selected and conceived by TÜV AUSTRIA TURK.

Corporate Design defines the identity of TÜV AUSTRIA TURK as its business partner, its clients, its competitors, its employees and all its relationships with the general public.

Scope of the application

All Departments in TUV AUSTRIA TURK or the following customers having the natural right to use "TÜV AUSTRIA TURK" logo;

- Customers certified under EN SO IEC 17065
- Customers certified under EN ISO / IEC 17021
- Inspection reports and certificates under EN ISO / IEC 17020
- Test reports and certificates under EN ISO / IEC 17025
- Special projects

Please note

- Principles are binding.
- All marketing activities must be carried out under control of TÜV AUSTRIA TURK Sales & Marketing.
- ✓ Applications that are not included in the design manual can be developed within the principles contained herein.
- New designs shall be added to this certificate when it is found convenient and useful by TÜV AUSTRIA TURK Quality Management team.



Logo

TÜV Austria Turk logo was originally designed as a check mark. Characteristics are unpretentious, competent, technical, simple. Etching, minting, casting techniques are allowed. In such cases, the logo shall be the same color as the flooring material. (for example the logo on the seal).



TÜV AUSTRIA logo was developed with three characters as T, U and V in the shape of "thick" mark and "AUSTRIA" expression under them.

"AUSTRIA" is a part of the logo. Logo must be used as a whole.

TÜV Mark Committee VdTÜV (Association of Technical Inspection Agencies) has determined the ratio between TÜV and AUSTRIA as 1:3.6.

These details are the same for "TÜV ÖSTERREICH" logo

Colors

colors can not be changed in specific situations that do not require single color use. (Please check single color use of logo)

Single color use of logo

It shall not always be possible to print the logo with its original colors. (photocopies and some printed species). The entire document shall be printed in one color when printed in one color.



If the logo is used on a black floor, the entire logo should be white except for the V mark. TÜV thick mark (V) red code CMYK 0-100-100-0 (also "Colors and Font Types" page 8).



The TÜV AUSTRIA logo

- ✓ T, U with thick mark V and "AUSTRIA" are a whole.
- ✓ "AUSTRIA" shall be on the center and the use of countries shall be under it.

NOTE: Logo has an absolute aspect ratio of 1:0,56 and cannot be changed. (see page 6).



Important: Never use the following logos.

Variants of this and similar styles are not allowed.

The logo can not be printed in different colors. In monochrome printing, whole logo must be the same color. The original colors of the logon should be used in color prints.

Logo can not be used in different external color schemes or outline lines.

Logo shadowing is not allowed except for an advertising film or video: in such cases, it is preferred when the video or ad carries movement within the movie.



AUSTRIA

The aspect ratio is 1: 0.56. Logo cannot be used with distorted aspect ratios.

No character can be in a different text format, including the T, U, and V in tick sign in the Logo.

The letter V cannot be written in red in any article or footer in the mail.

TUV AUSTRIA

TÜV Austria

TÜ∨



2

Registered brand

TÜV ®

"TÜV AUSTRIA TURK", "TÜV AUSTRIA" and "TÜV" brands are protected with brand laws.

TÜV AUSTRIA TURK's "TÜV AUSTRIA" brand is used regularly at the top right of business documents, reports, certificates and letterheads for the protection of trademark rights. THE PRIMED VERSION OF THIS DOCUMENT

Fax: +90 (216) 537 08 13 infoturkey@tuv.at

Contact:

Ing. Selim Yılmaz Tel.: +90 (216) 537 0811/150 selim.yilmaz@tuv.at

TÜV ®



Colors and text formats

Red

Magenta 100 % + Yellow 100 % Pantone 1797 C RGB 226-0-26 #e2001a

Text formats

The corporate text format of TÜV AUSTRIA Group is Arial - an international standard form that can be used in all languages. The Arial font format should also be used in emails.

Only titles can be written as Arial Bold.

Instead of underlining the text you want to draw attention to, you can use it as Arial Bold.

Alternatively, sans-serif may be used if the Arial font format is not supported. (In languages such as Greek, Chinese.)

Arial ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwyxz 1234567890

Grey edge

THEPAMIEDVERSION

Black 8 % Pantone Cool Gray I C RGB 136-139-141

www.tuvaustriaturk.com

Terms of use TÜV AUSTRIA Logo

All logos are written contracts of usage. Such regulations must be notified before any third party signing the contract.

Logos must not be produced individually or reproduced. TÜV AUSTRIA TURK should have knowledge.

Only the logos of legal companies are in question. (National and international).

Trademark and Logo usage shall be audited regularly by TUV AUSTRIA TURK and the customers shall be informed in case of improper use.



TÜRKAK LOGO

TÜRKAK LOGO Usage Rights

Determined and protected by R10.06 Conditions for the Use of TÜRKAK Accreditation Mark by TÜRKAK Accreditations.

Companies that are certified by TÜV AUSTRIA TURK are obliged to comply with the usage guidelines and the PRO-001 Usage of Logo and Marks Procedure as long as the certificate is valid. Management Systems The logo and Trademark presented in the documentation should not be used in any way that might suggest that any product or service is approved or proposed. Logo and Trademark The PRO-001 Usage of Logo and Marks Procedure show examples of how the company has been certified by TÜV AUSTRIA TURK. Other than that, it should not be used in a way that leads to different manufactures and meanings.Such misunderstandings should be avoided and not allowed by the company.

Color, size and form changes can not be made on the TÜRKAK Accreditation Logos. Dimensions can be reduced or enlarged provided the rates are constant.

TÜV AUSTRIA TURK logo and brand should never be used in any way that would damage the reputation or trust of the certification system.



Terms of use TÜV AUSTRIA logo

Provided that they meet the requirements of these Principles, companies should only use the Mark/Logo in stationery, advertising, promotion or similar activities and materials. Brand and Logo are strictly forbidden to be used in activity areas and advertisements outside the scope of the certificate. The Brand and Logo can be used in a way that does not stand out more than the logos of the organization. Brands and Logos cannot be used on printed contacts.

If the document contract is canceled/the document is withdrawn or the document is suspended, the use of logo by the person or firm certificate and any promotions, advertising material, distribution/publication must immediately be stopped.

Suspension and/or withdrawal of documents to the persons or firms that do not fulfill the conditions stated in this instruction shall be applied according to the decision of the Certification Body / Directive Manager / Quality Unit. These decisions are made in accordance with ISO/IEC Guide 23 and ISO/IEC 17030 and are based on the guide ISO Guide 27 for the necessary actions for improper use.

The logo user may use the logo for commercial purposes (eg letter papers, business cards, e-mail, etc.) and for advertising purposes (eg company tools, web pages, prospectuses, etc.). The right to use the logo is limited to the legal entities and cannot be transferred to third or subsequent persons unless approved by TÜV AUSTRIA TURK - Certification Body.

TÜV AUSTRIA and TÜV AUSTRIA TURK Logos of TÜV AUSTRIA TURK cannot be used on products, inner product packaging, laboratory analysis results, Calibration analysis results, similar documents and any other documents that may lead to mistakes.

In addition, the logo user cannot use TÜV AUSTRIA or TÜV AUSTRIA TURK logo in a way that the product itself shall give rise to the impression inspired by TÜV AUSTRIA TURK.

When the Logo is used for especially in the context of advertisement, the user shall be responsible against TUV AUSTRIA TURK-Certification Body. In order to use Logo, a TÜV AUSTRIA TURK Certificate is needed.



Terms of use **TÜV AUSTRIA logo**


TÜV AUSTRIA TURK auditors make necessary checks on the compliance of IAF, TURKAK guidelines and this instruction with matters related to the use of certificates, trademarks and logos during inspections and records the results in the relevant part of the checklist.

For this purpose, the audit team takes samples, takes pictures when necessary, checks brochures, MROLLDCO catalogs, business cards, advertising materials and products.

The auditors also check the published documents in terms of the following;

- General appearance, typographical errors,
- Usage places,
- Dates, standard and revision.
- Company name, address, signature, seal,
- Exclusions and eligibility,
- TÜV AUSTRIA TURK and the accreditation institution's logo

and records the results in the relevant part of the checklist.





CE Terms of Use

CE Mark Usage:

"CE" mark;

1) It consists of the letters "CE" in accordance with the shape shown in Figure-1 and it cannot be changed in terms of design except for enlargement and minimizing according to the proportions in the diagram,




Figure 1

2) Unless otherwise specified in the relevant technical regulation, it shall be a minimum of 5 mm,

3) In the case that it is not possible due to the product or information plate or the structure of the product or its permanence cannot be guaranteed, it is located on the package and the documents with the product specified by the technical regulations in visible, readable and non-deletable manner,

4) "CE" mark is located before the product is released to the market.

5) "CE" mark shall be placed only by the manufacturer or its authorized representative.

6) When required by the relevant technical regulation, "CE" conformity mark shall be accompanied by the identification number issued by the European Commission of the notified body involved in the production control phase. The identity registration number shall be issued by the producer or the authorized representative of the producer within the framework of the instructions of the notified body itself.

7) The product may be accompanied by a "CE" marking with pictograms or other markings describing a particular risk or use.

8) The product cannot bear any other signs that mislead third parties about the meaning and shape of the "CE" conformity mark. All kinds of other marks can be attached to the product only if they do not deteriorate visibility, readability and meaning of CE mark.

9) "CE" mark may only be used in products for which technical regulations are required, it cannot be used for other products.

10) The number of "XXXX" which is the Notified Body number of TÜV AUSTRIA TURK is attached on the right of the "CE" marks affixed on the product inspected in terms of type conformity made by TÜV AUSTRIA TURK in accordance with the following figure:



Regulatio	Modu	Docume	Produ
n	le	nt	ct
305/2011/	Syste	NO	YES
AB	m 2+		
2014/68/A		NO	YES
В			



"G" Terms of Use "G" Mark Usage:

"G" mark; It shall be regulated in accordance with the 'Regulation on Criteria for Construction Materials' in accordance with the following points.

Implementing Regulation on Criteria for Construction Materials ARTICLE 10

1) In order for the construction materials determined to be placed on the market by attaching the "G" mark with this Regulation in accordance with the conformity confirmation system foreseen within the framework of the EU Commission Decisions, the "G" sign in Annex-1 (A) shall be submitted together with the "G" mark. "G" Certificate of Conformity in -1 (B) and / or "G" Declaration of Conformity in Annex-1 (C) shall be made available. Regarding the procedures and principles for attaching the "G Uygunluk mark to the products, the provisions of the Regulation on the Attachment and Use of the CE Mark of Conformity, put into force by the Council of Ministers Decision dated 15/11/2001 and numbered 2001/3530, shall apply.

2) "G" mark; the material, a label attached to the material, the packaging of the material or the commercial documents of the material, together with the performance values describing the properties of the material based on the technical specifications.

3) The conformity verification system to which construction materials will be subject is accepted as 1+ if the products subject to the national standard are not foreseen by the EU Commission Decisions. If otherwise requested, this shall be assessed through the consultation process provided for in the second paragraph of Article 7. If the amendment is deemed appropriate, the decision shall be announced by the Ministry. If the conformity assessment body is not assigned in accordance with the first paragraph of Article 19 for conformity assessment of the relevant national standard, the "G" mark is attached to the product by declaring the performance values according to the results of the reports provided within the scope of TSE certificate.

4) Within the framework of the relevant Association Council between the EU and Turkey, according to a spouse of a national standard standard EU members allow the placing on the market of goods produced in a given state. In an EU member state, "G" is affixed by declaring the performance values according to the confirmations of conformity and the results of the report as per the procedure specified in the second paragraph of Article 19. 5) Imported products from a third country may be placed on the market after their conformity has been confirmed by the organizations specified in the first paragraph of Article 19.



Non-Compliance Notifications

Brand, Logo and Notified Body Number Non Compliance Notifications

When accurate evidences are obtained indicating that the product is dangerous or the conformity marks are misused, the failed user of the mark and the regulatory agencies are notified of the problem within 15 working days and the authorization of the conformity mark to the product concerned is suspended.

First notification to the wrong user shall be sent by registered letter (or equivalent) FRM-001a Certificate and Logo Usage Warning, copies of which shall be sent to the appropriate authorities and/or to other organizations where necessary. The letter to be written includes the following:

- Reasons of corrective action,
- Hazardous situations that may exist,
- Precautions to be taken by the wrong user to solve the problem
- A statement containing the measures to be taken to ensure that the conformity mark is not applied to non-applicable products.

Corrective Action Types that may be applied:

If it is ascertained that the wrong use occurs, TÜV AUSTRIA TURK determines the scope of misuse:

products, model numbers, serial numbers, factory manufacturing facilities, manufacturing series and quantities are included in this.

The corresponding corrective action is carried out by applying at least one of the following:

a) According to the opinion of TÜV
AUSTRIA TURK, if it is necessary to withdraw from the market for protection of the public, TÜV
AUSTRIA TURK shall notify the authorized and responsible parties to withdraw from the market,

- b) Removal of the conformity mark from the product,
- c) Reconstruction of the product to meet the documentation requirements (Reconstruction is preferred in the factory, but it may be allowed to do this in places where it is impractical to bring some of the units to the factory)
- d) Junk or proper replacement of the collected product when the removal of the conformity mark or remanufacturing to conform to the product's documentation requirements is impractical,
- e) Where a dangerous situation exists and it is impractical to implement one of a), b), c) or d), a notification to the public shall be made or a measure shall be taken in accordance with national legislation.

When the conformity mark is used under contract or not in accordance with the contract

- The organization that uses the document in a misleading manner or unfairly shall first be sent a letter informing all receivers of the letter that the corrective action is requested:
- A statement mentioning that the suspension applied to the wrong user is removed and authorization to use the certification brand is given back,
- A statement stating that it has been returned,
- Summary of corrective action made by wrong user,
- Where applicable, disclosure of new markings to ensure that the product is distinguished from the previous unacceptable state.
- Certification records are revised to include the changes required by the corrective action.
- Where necessary, the Process-Product Certification Manager-Directive Manager evaluates the issue with the cooperation of legal experts.

If the Process-Product Certification Manager-Directive Manager finds that the company has violated the terms of the contract and has created circumstances that could damage the reputation of TÜV AUSTRIA TURK, and if it Rev.05 / 12.07.2019 Sayfa 13 / 14

GUI-001a



does not consider written warnings, the matter is presented to the Certification Committee.

Decisions taken by the Certification Committee are communicated to the relevant organizations in writing in the Process-Product Certification Manager-Directorate and the result is followed up.

According to the decisions taken, the lists in TÜV AUSTRIA TURK website are updated and informed to the public.

Improper use of the conformity mark by non-contracting parties;

Legal actions shall be initiated against the persons or organizations concerned and the decision on corrective action shall be left to the court.

Completion of Corrective Action:

If the following issues are provided, TÜV AUSTRIA TURK accepts that the corrective action has been made satisfactorily:

- a) If the wrong user informed the public on demand,
- b) Products located in the market and in distribution facilities are confiscated, repaired under custody and replaced or destroyed, or any other adjustments required within the limits of maximum applicability are performed,
- c) If the wrong user agrees to continue to execute the necessary corrective actions on the user's proprietary units until the certification body reaches the opinion that the maximum feasible outcome has been achieved,
- d) If necessary measures have been taken in the manufacturing process to prevent the manufacture of products which would require similar corrective actions.

Rejection of Corrective Action

If the wrong user refuses to take corrective action, TÜV AUSTRIA TURK takes the following precautions:

 Cancellation of certification contracts made with the wrong user,

- b) If the situation requires so, the regulatory authorities and/or, where appropriate, other organizations are informed of the cancellation of contracts in which the wrongful user refuses to take corrective action and on behalf of the wrongful user,
- c) Legal considerations regarding other measures that may be taken (such as court decisions, press reports on legal proceedings):

If STOBUI (a manufacturer of a product that becomes dangerous later) refuses to perform corrective action, the publicity of the danger identified through the most appropriate press organs shall be communicated to the public.

MENTS